

AMENDMENTS

IN THE CLAIMS

Please amend the claims to read as follows:

1. (Currently Amended) A method of fabricating a tunable dielectric slurry, comprising:

depositing a thick film tunable dielectric onto a substrate;

subjecting said thick film to Ultra Violet (UV) radiation exposure after it is coated onto said substrate;

drying and baking said thick film and said substrate;

applying a developer to said thick film and said substrate, said developer capable of washing away an unexposed area of said thick film and retaining an exposed area enabling a latent pattern to be brought out and thus creating a patterned film; ~~and~~

sintering said substrate; and

wherein components in said fabricating a tunable dielectric slurry, are selected from the group consisting of:

ceramic powder;

photosensitive polymer;

photoinitiator;

solvents;

photo inhibitor; and

adhesion promoter.

2. (Original) The method of claim 1, wherein said thick film is screen printed onto said substrate.

3. (Original) The method of claim 2, wherein said thick film is

thixotropic.

4. (Original) The method of claim 1, wherein said thick film is spin coated onto said substrate.

5. (Original) The method of claim 4, wherein said thick film is Newtonian.

6. (Original) The method of claim 1, wherein said step of depositing a thick film onto a substrate is accomplished by a technique selected from a group consisting of: transfer coating;

tape casting; and  
dip coating.

7. (Original) The method of claim 1, wherein said step of subjecting said thick film to UV radiation exposure after it is coated onto said substrate includes using a photo mask in the exposure process to define exposure patterns intended for the film to receive.

8. Cancel Claim 8.

9. (Previously Amended) The method of claim 1, wherein said tunable dielectric is barium strontium titanate.

Claims 10 - 25 previously cancelled.